

# TECUMSEH

## TECHNICIAN'S HANDBOOK

This manual covers the following basic type or model numbers dependent on age of product: AH520, AH600, AV520, AV600, HSK600, TVS600.

This manual covered many engines under an Old form of Identification which will need to be reviewed as well. TYPE / SPECIFICATION NUMBER 638-670 1398-1642 and Craftsman 200 Series Models.

## 2-CYCLE ENGINES



# Contents

	Page		Page
<b>GENERAL INFORMATION</b> .....	1	PRIMER BULB (DIAPHRAGM	
ENGINE IDENTIFICATION .....	1	CARBURETOR) .....	11
INTERPRETATION OF MODEL NUMBER .....	1	CARBURETOR CHECK VALVE .....	11
<b>ENGINE CARE</b> .....	2	CARBURETOR SERVICE PROCEDURE .....	12
SHORT BLOCKS .....	2	EMISSIONIZED DIAPHRAGM CARBURETION	13
STORAGE: .....	2	<b>OUTBOARD CARBURETORS</b> .....	13
TUNE-UP PROCEDURE .....	3	OUTBOARD CONTROL PANEL .....	14
EXHAUST PORT CLEANING .....	3	<b>CARBURETOR ADJUSTMENTS</b> .....	15
<b>2-CYCLE THEORY OF OPERATION</b> .....	4	IDLE SPEED ADJUSTMENT .....	15
OPERATION OF PISTON PORT STYLE .....	4	FLOAT TYPE-FIXED MAIN, IDLE ADJUST .....	15
OPERATION OF REED PORTED STYLE		DIAPHRAGM - SINGLE AND DUAL	
WITH LOOP SCAVENGING .....	4	ADJUSTMENT .....	15
TERMS .....	4	<b>TROUBLESHOOTING CARBURETION</b> .....	16
EXHAUST OR SCAVENGE PHASE .....	4	FLOAT CARBURETOR CHECKS .....	16
PORTS .....	4	CHECKS FOR DIAPHRAGM .....	16
EXHAUST PORTS .....	4	<b>STANDARD SERVICE CARBURETORS</b> .....	17
THIRD PORT .....	4	FUEL FITTING .....	17
REED VALVE .....	4	INLET FUEL FITTING .....	17
LUBRICATION .....	4	CHOKE SHAFT .....	17
<b>AIR CLEANERS, CARBURETORS, GOVERNORS</b>		<b>THROTTLE LEVER</b> .....	17
<b>AND LINKAGE</b> .....	5	<b>IDLE SPEED ADJUSTMENT SCREW</b> .....	17
AIR CLEANERS .....	5	<b>GOVERNORS AND LINKAGE</b> .....	18
POLYURETHANE-TYPE AIR CLEANER .....	5	AIR VANE GOVERNORS .....	18
KLEEN-AIRE® SYSTEM .....	5	OPERATION .....	18
PAPER-TYPE AIR CLEANER SERVICE .....	5	<b>LINKAGE INSTALLATION</b> .....	18
<b>GENERAL CARBURETOR INFORMATION</b> .....	6	<b>REWIND STARTERS, ELECTRIC STARTERS</b>	
CARBURETOR IDENTIFICATION .....	6	<b>AND ALTERNATORS</b> .....	20
FLOAT-TYPE CARBURETORS .....	6	REWIND STARTERS .....	20
DIAPHRAGM (PRESSURE DIFFERENTIAL)		COMPONENTS .....	20
CARBURETORS .....	6	ROPE SERVICE .....	20
OPERATION .....	7	STYLIZED REWIND STARTER .....	21
CARBURETOR SERVICE .....	7	VERTICAL PULL STARTER HORIZONTAL	
THROTTLE .....	7	ENGAGEMENT TYPE .....	22
CHOKE .....	8	STYLIZED REWIND STARTER WITH PLASTIC	
ADJUSTING SCREWS .....	8	RETAINER .....	23
FUEL BOWL RETAINING NUT .....	8	VERTICAL PULL STARTER, VERTICAL	
CARBURETOR VENTING .....	8	ENGAGEMENT TYPE .....	24
HIGH TILT FLOAT STYLE .....	8	REWIND STARTER MOUNTED IN HOUSING .....	25
FUEL BOWL .....	8	<b>ELECTRIC STARTERS</b> .....	26
FLOAT .....	8	DRIVE ASSEMBLY SERVICE .....	26
INLET NEEDLE AND SEAT (FLOAT		STARTER CHECKING AND SERVICE .....	27
CARBURETORS) .....	9	CHECK FIELD .....	27
NEEDLE AND SEAT OPO-OFF TEST .....	9	ARMATURE CHECK .....	27
FLOAT HEIGHT SETTINGS .....	9	<b>TROUBLESHOOTING STARTERS</b> .....	27
PRIMER BULB .....	10	<b>ALTERNATORS</b> .....	28
CLEANING CARBURETOR BODY .....	10	CHECKING THE SYSTEM .....	28
DIAPHRAGMS .....	10	<b>FLYWHEEL (INSIDE-EDGE) BRAKE SYSTEM</b> ...	29
INLET NEEDLE AND SEAT .....	11	INSIDE EDGE SYSTEM .....	29
FUEL INLET FITTING .....	11	COMPONENTS .....	29
		SERVICE .....	29
		CONTROL CABLE .....	30

Copyright © 1994 by Tecumseh Products Company

All rights reserved. No part of this book may be reproduced or transmitted, in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without permission in writing from Tecumseh Products Company Training Department Manager.

	Page		Page
<b>IGNITION</b> .....	31	OIL SEALS .....	43
IGNITION OPERATION (Pre- 1985 Production) .....	31	ONE PIECE SEALS .....	43
MAGNETO IGNITION .....	31	THREE PIECE SEALS .....	44
CONTACT POINTS .....	31	OUTBOARD SEAL SERVICE .....	44
CONDENSER .....	31	<b>CYLINDERS, REEDS &amp; COMPRESSION</b>	
OPERATION OF THE TECUMSEH MAGNETO IGNITION .....	31	<b>RELEASE</b> .....	45
SOLID STATE IGNITION (1985 to Present) .....	32	CYLINDER & HEAD SERVICE .....	45
SOLID STATE IGNITION OPERATION .....	32	GASKETS .....	45
<b>IGNITION SERVICE</b> .....	33	REED VALVES .....	45
SPARK PLUG SERVICE .....	33	AUTOMATIC COMPRESSION RELEASE (DOUBLE REED TYPE) .....	45
FLYWHEEL REMOVAL AND SERVICE .....	33	AUTOMATIC COMPRESSION RELEASE (SINGLE REED TYPE) .....	45
FLYWHEEL MAGNETS .....	33	CYLINDER EXHAUST PORTS .....	46
FLYWHEEL KEYS .....	34	<b>TROUBLESHOOTING</b> .....	47
ADAPTER KEY TO FLYWHEEL ASSEMBLY .....	34	ENGINE FAILS TO START OR STARTS WITH DIFFICULTY .....	47
FLYWHEEL SLEEVE .....	34	ENGINE KNOCKS .....	47
FLYWHEEL TORQUE .....	34	ENGINE MISSES UNDER LOAD .....	48
REPLACING MAGNETO BREAKER POINTS .....	34	ENGINE LACKS POWER .....	48
CONDENSER CHECK .....	34	ENGINE OVERHEATS .....	48
IGNITION COIL .....	34	ENGINE SURGES OR RUNS UNEVENLY .....	49
IGNITION TIMING .....	34	ENGINE VIBRATES EXCESSIVELY .....	49
FIXED TIME SPEED (EXTERNAL COIL) .....	36	<b>SPECIFICATIONS</b> .....	50
SOLID STATE (CDI) .....	36	ENGINE TYPE NUMBER AND LETTER REFERENCE .....	50
OTHER IGNITION SYSTEMS .....	36	<b>SEARS CRAFTSMAN CROSS REFERENCE</b> .....	51
<b>OUTBOARD TIMING</b> .....	38	<b>TABLE OF SPECIFICATIONS</b> .....	52 - 61
OUTBOARD TIMING (STANDARD IGNITION) .....	38	<b>TABLE OF TORQUE LIMITS</b> .....	62
OUTBOARD TIMING (SOLID STATE) .....	39	<b>EDUCATIONAL MATERIALS AND TOOLS</b> .....	63
<b>CYLINDERS &amp; INTERNAL COMPONENTS</b> .....	41	AVAILABLE TECHNICIAN'S HANDBOOKS .....	63
PISTON & RING SERVICE .....	41	AVAILABLE FOREIGN TECHNICIAN'S HANDBOOKS .....	63
<b>CONNECTING ROD SERVICE</b> .....	42	<b>TOOL KIT 670195D</b> .....	64
NEEDLE BEARINGS .....	42	<b>TOOLS</b> .....	65
<b>CRANKSHAFT, BEARING AND OIL SEAL SERVICE</b> .....	43		
NEEDLE BEARINGS .....	43		

This manual contains information on Tecumseh Engines built to comply with emission regulations. As a technician it is unlawful to modify or cause a change in the original calibration of these engines. All speed adjustments must remain within the limits that are specified for each engine, and are not to exceed the maximum. Any deviation must be specifically approved by Tecumseh Products Company.